VACUUM CLEANERS - DUST EXTRACTORS - HEAVY TOOLINGS

GS 3/78 CYC

POWER MAX	WATER LIFT	AIRFLOW	TANK CAPACITY
3500 W	2230 mmH_2O	765 m3/h	78 l



EXCLUSIVE CHARACTERISTICS

- INNOVATIVE GASKET
- STRONG HOOKS
- INDEPENDENT MOTORS WITH LIGHT SWITCHES
- TIPPING TROLLEY
- MICROFIBER BAG
- DETACHABLE TANK AND SOLID CART
- MULTI STAGE FILTRATION
- DOUBLE STAGE MOTORS
- ELECTROSTATIC DISSIPATION

INNOVATIONS

BLACK IS GREEN™

CYCLONE

GS 3/78 CYC
COMPONENTS



Microfiber bag protects the cartridge



HEPA cartridge



Cyclone system

GS 3/78 CYC
RANGE BUILD UP

		GS 3/78 CYC
Code		ASD015516
PERFORMANCE		
Usage		DRY
Motor		3
Power	W	3400-3500 max
Voltage	V	220-240
Water lift	mmH_2O	2230
Airflow	m^3/h	765
Tank Capacity/Material	l	78/steel
Cable length	m	8,5
Filtering surface	cm^2	2260
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of accessories	mm	50
Dimensions (LxWxH)	mm	680x620x1110
Weight	kg	33
PACKAGING		
Pallet+carton		x
Volume	m3	0,411
Dimension	mm	580x700x1013
Weight	Kg	38

GS 3/78 CYC
RANGE BUILD UP

STANDARD EQUIPMENT

CODE: FTDP28843
HEPA H13 CARTRIDGE 2.260 CM²



CODE: FTDP00462
MICROFIBER BAG 12 L



CODE: TBFX01139
CONDUCTIVE FLEXIBLE HOSE 5 M Ø50 MM



OPTIONAL
ACCESSORIES

OPTIONAL ACCESSORIES

CODE: KTRI04795
MICROFIBER BAG SET OF 10 PCS



X10

Information about waterlift and airflow refers to single motors.
Specifications, descriptions and pictures are supplied as indicative: rights to technical modifications reserved without prior notice.

IP Cleaning S.p.A.
Viale Treviso 63 - 30026 Summaga di Portogruaro - (VE) / ITALY
Tel. +39 0421 205511 - Fax +39 0421 204227
info@ipcworldwide.com - www.ipcworldwide.com